

71. (New) The formulation of claim 69, wherein the active agent is a conjugate of *cis*-resveratrol and a mono- or di-saccharide.

72. (New) The formulation of claim 71, wherein the active agent is *cis*-resveratrol glucoside.

73. (New) The formulation of claim 68, wherein the active agent is *trans*-resveratrol or a pharmacologically acceptable salt, ester, amide, prodrug or analog thereof.

74. (New) The formulation of claim 73, wherein the active agent is *trans*-resveratrol.

75. (New) The formulation of claim 74, wherein the active agent is a conjugate of *trans*-resveratrol and a mono- or di-saccharide.

76. (New) The formulation of claim 75, wherein the active agent is *trans*-resveratrol glucoside.

77. (New) The formulation of claim 68, wherein the active agent comprises a mixture of *cis*-resveratrol and *trans*-resveratrol.

78. (New) The formulation of claim 68, wherein the topical carrier comprises an ointment base and the formulation is an ointment.

79. (New) The formulation of claim 68, wherein the topical carrier comprises a cream base and the formulation is a cream.

80. (New) The formulation of claim 68, wherein the topical carrier comprises a lotion base and the formulation is a lotion.

81. (New) The formulation of claim 68, wherein the formulation is a gel and additionally includes a gelling agent.

82. (New) The formulation of claim 68, wherein the topical carrier comprises an aqueous liquid and the formulation is a solution.

83. (New) The formulation of claim 68, wherein the formulation is an isotropically clear dispersion.

84. (New) The formulation of claim 68, comprising approximately 0.25 wt.% to 75 wt.% active agent.

85. (New) The formulation of claim 84, comprising approximately 0.25 wt.% to 30 wt.% active agent.

86. (New) The formulation of claim 85, comprising approximately 0.5 wt.% to 15 wt.% active agent.

87. (New) The formulation of claim 86, comprising approximately 1.0 wt.% to 10 wt.% active agent.

88. (New) A topical pharmaceutical formulation comprising:
approximately 1.0 wt.% to 30 wt.% of an active agent consisting essentially of resveratrol or a pharmacologically acceptable salt, ester, amide, prodrug or analog thereof, or a combination of any of the foregoing;

approximately 2 wt.% to 20 wt.% emulsifiers;

approximately 2 wt.% to 20 wt.% emollient;

approximately 2 wt.% to 50 wt.% solubilizer;

approximately 0.1 wt.% to 0.2 wt.% preservative; and
water.

89. (New) The formulation of claim 88, wherein the emulsifiers are selected from the group consisting of glyceryl monostearate, polyoxyethylene stearate, polyethylene glycol,